

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	880	358/1.15 and (setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 (user\$1 operator\$1 customer\$1 person\$1) and data\$1base\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 12:53
L2	168	358/1.15 and (setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 process\$3 near5 (user\$1 operator\$1 customer\$1 person\$1) and data\$1base\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 12:53
L3	77	358/1.9 and (setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 process\$3 near5 (user\$1 operator\$1 customer\$1 person\$1) and data\$1base\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 12:53
L4	56	358/1.18 and (setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 process\$3 near5 (user\$1 operator\$1 customer\$1 person\$1) and data\$1base\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 12:54
L5	3888	(setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 process\$3 near5 (user\$1 operator\$1 customer\$1 person\$1) and data\$1base\$1 and printer\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 13:01
L6	337	(setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 process\$3 near5 (user\$1 operator\$1 customer\$1 person\$1) with (chang\$3 alter\$3 decid\$4 choos\$4) and data\$1base\$1 and printer\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 12:58
L7	390	(setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 process\$3 near5 (user\$1 operator\$1 customer\$1 person\$1) and data\$1base\$1 and printer\$1 and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 13:04
L8	51	(setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 process\$3 near5 (user\$1 operator\$1 customer\$1 person\$1) and data\$1base\$1 and printer\$1 and "710".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 13:01

EAST Search History

L9	0	(setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 process\$3 near5 (user\$1 operator\$1 customer\$1 person\$1) and data\$1base\$1 and printer\$1 and 157/527.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 13:04
L10	0	(setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 process\$3 near5 (user\$1 operator\$1 customer\$1 person\$1) and data\$1base\$1 and printer\$1 and 715/527.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 13:04
L11	5	(setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 process\$3 near5 (user\$1 operator\$1 customer\$1 person\$1) and data\$1base\$1 and printer\$1 and 715/527	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 13:04
L12	2	(setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 process\$3 near5 (user\$1 operator\$1 customer\$1 person\$1) and data\$1base\$1 and printer\$1 and 715/525	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 13:07
L13	49	(setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 process\$3 near5 (user\$1 operator\$1 customer\$1 person\$1) and data\$1base\$1 and printer\$1 and 358/1.1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 13:07
L14	71	(setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 process\$3 near5 (user\$1 operator\$1 customer\$1 person\$1) and data\$1base\$1 and printer\$1 and 358/1.13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 13:07
S1	8519	TORU.in.	USPAT	OR	OFF	2006/06/01 14:39
S2	263	S1 and fuji.as.	USPAT	OR	OFF	2006/06/01 14:40
S3	16	S1 and fuji.as. and matama	USPAT	OR	OFF	2006/06/01 14:40
S4	16	S1 and fuji.as. and matama	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/06/02 12:17
S5	6279	(photo\$1 photograph\$4) near2 printer\$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/06/02 12:18

EAST Search History

S6	1512	S5 with digital	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/06/02 12:19
S7	3481	S5 and digital	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/06/02 12:19
S8	1781262	(set setting default determine\$1 pre-determine\$1 predetermine\$1) near5 (setting\$1 condition\$1 value\$1 amount number\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 11:54
S9	1795685	(set setting default determine\$1 pre-determine\$1 predetermine\$1 preset pre-set) near5 (setting\$1 condition\$1 value\$1 amount number\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/06/02 12:22
S10	2233	S7 and S9	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/06/02 12:22
S11	884	S6 and S9	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/06/02 12:23
S12	417452	S9 same (alter\$4 chang\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/06/02 12:24
S13	718	S7 and S12	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/06/02 12:24
S14	227	S6 and S12	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/06/02 12:24
S15	9	("4169275" "5057913" "5113351" "5768487" "5784610" "5799206" "5828461" "5838457" "5930810").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/05 11:20
S16	31	("5930810").URPN.	USPAT	OR	OFF	2006/06/05 15:20
S17	834416	(default pre-determine\$1 predetermine\$1) near5 (setting\$1 condition\$1 value\$1 amount number\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 11:54

EAST Search History

S18	677278	(default pre-determine\$1 predetermine\$1) near5 (setting\$1 condition\$1 value\$1 number\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 11:56
S19	16633	(default pre-determine\$1 predetermine\$1) near5 (setting\$1 condition\$1 value\$1 number\$1) same (printer\$1 image near2 process\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 11:59
S20	2722	(default pre-determine\$1 predetermine\$1) near5 (setting\$1 condition\$1 value\$1 number\$1) same (printer\$1 image near2 process\$3) same (chang\$3 alter\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 11:59
S21	1306	((default pre-determine\$1 predetermine\$1) near5 (setting\$1 condition\$1 value\$1 number\$1)) with (chang\$3 alter\$3) same (printer\$1 image near2 process\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 12:01
S22	170	((default pre-determine\$1 predetermine\$1) near5 (setting\$1 condition\$1 value\$1 number\$1)) with (chang\$3 alter\$3) with (plural plurality multiple) same (printer\$1 image near2 process\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 12:47
S23	44	S22 and (sharpness gradation density color shield\$3 logogram edging) near5 (correction)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 12:39
S24	23	S22 and (sharpness gradation density color shield\$3 logogram edging) near5 (correction) and (photo\$1 photograph\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 12:44
S25	109	S22 and digital	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 12:44
S26	39	((default pre-determine\$1 predetermine\$1) near5 (setting\$1 condition\$1)) with (chang\$3) with (plural plurality multiple) same (printer\$1 image near2 process\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 15:13
S27	3	"6559967" and \$2settin\$4	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 15:43
S28	29	sharpness near2 correction with (light)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 15:55

EAST Search History

S29	0	embed\$3 with values with conditions with image adj data	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 15:56
S30	88	embed\$3 with values with image adj data	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 15:56
S31	2	embed\$3 with settings with image adj data	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 15:57
S32	31	embed\$3 with attribute\$1 with image adj data	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 17:10
S33	1728	embed\$3 with image adj data	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 16:03
S34	27	embed\$3 near3 (chang\$3) with image adj data	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 16:03
S35	94	embed\$3 near5 (additional) with image adj data	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 17:10
S36	17	embed\$3 near3 any with image adj data	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 17:12
S37	1098	embed\$3 near3 data with image adj data	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/06 17:12
S38	18	embed\$3 near3 condition\$1 with image adj data	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/07 15:18
S39	4	"6559967"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/07 15:29
S40	598	printer\$1 with (code\$1 encod\$4) with condition\$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/07 15:43

EAST Search History

S41	2	"6785814" and (embed\$4 same condition\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/07 16:04
S42	402	data\$1base with customer\$1 with condition\$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/07 16:04
S43	6	data\$1base with customer\$1 with condition\$1 same (photo photograph\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/07 16:04
S44	6	data\$1base with customer\$1 with condition\$1 same (photo\$1 photograph\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/07 16:11
S45	47	data\$1base with customer\$1 with condition\$1 and (photo\$1 photograph\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/07 16:14
S46	95	data\$1base same customer\$1 with condition\$1 and (photo\$1 photograph\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/07 16:14
S47	17	("20020067500" "5477353" "5666215" "5760916" "5784461" "5949551" "6017157" "6085195" "6147744" "6154295" "6157435" "6185371" "6201931" "6219129" "6324521" "6327049" "6578072").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/07 16:15
S48	8	S47 and (customer\$1 and condition\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/07 16:41
S49	401	scan\$4 with pre\$1scan\$4 with memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/07 16:41
S50	6	scan\$4 with pre\$1scan\$4 with memory with fine\$1scan	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/07 16:45
S51	7	scan\$4 with pre\$1scan\$4 with memory same fine\$1scan	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/07 16:47
S52	14	scan\$4 with pre\$1scan\$4 with memory and fine\$1scan	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/07 16:52
S53	3449374	scan\$4 with pre\$1scan\$4 with memory first with second	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/07 16:53

EAST Search History

S54	15	scan\$4 with pre\$1scan\$4 with memory with first with second	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/07 16:54
S55	68	scan\$4 with pre\$1scan\$4 with fine\$1scan\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/07 16:55
S56	19	scan\$4 with pre\$1scan\$4 with fine\$1scan\$4 with memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/07 16:56
S57	22	scan\$4 with pre\$1scan\$4 with fine\$1scan\$4 same memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/07 16:56
S58	5652	358/1.15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 11:17
S59	2661	358/1.15 and (setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 (user\$1 operator\$1 customer\$1 person\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 11:22
S60	846	358/1.15 and (setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 (user\$1 operator\$1 customer\$1 person\$1) and data\$1base	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 11:22
S61	880	358/1.15 and (setting\$1 set\$1 condition\$1 attribute\$1 parameter\$1) near5 (user\$1 operator\$1 customer\$1 person\$1) and data\$1base\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/05/25 12:47